

2020 Use by active ingredient (pounds)* - Revised reporting

*Biocide and disinfectant active ingredients reported separately

| Active Ingredients | Pounds |
|--|---------------|
| (E,Z)-2,13-Octadecadien-1-ol | 0.0005 |
| (E,Z)-2,13-Octadecadien-1-yl Acetate | 0.0098 |
| (S)-Hydroprene | 39.8299 |
| (S)-Methoprene | 0.4786 |
| (Z,Z)-3,13-Octadecadien-1-ol | 0.0027 |
| (Z,Z)-3,13-Octadecadien-1-yl Acetate | 0.1437 |
| 1-Naphthaleneacetic acid | 0.2033 |
| 2,4-D | 3769.1595 |
| 2,4-DP | 4.3620 |
| 2-Phenethyl Propionate | 66.5289 |
| 3-Indolebutyric acid | 0.0170 |
| 6-benzyladenine | 0.6270 |
| Abamectin | 2.0995 |
| Acephate | 18.3336 |
| Acetamiprid | 30.0503 |
| Acetochlor | 18159.4660 |
| Acibenzolar-S-methyl | 4.9878 |
| Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride | 4.2980 |
| Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride | 3.0000 |
| Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride | 3.0000 |
| Aluminum tris | 840.4780 |
| Aminocyclopyrachlor | 148.1000 |
| Aminopyralid | 71.6518 |
| Ammonium Noanoate | 11.1870 |
| Amorphous Silica | 31.6177 |
| Amorphous Silica Dioxide | 0.0133 |
| Ancymidol | 0.0001 |
| Atrazine | 61559.7594 |
| Aviglycine | 0.1101 |
| Azadirachtin | 0.2485 |
| Azoxystrobin | 74.1089 |
| Bacillus amyloliquefaciens | 164.6169 |
| Bacillus sphaericus 2362 | 0.0540 |
| Bacillus subtilis | 0.0253 |
| Bacillus thuringiensis subsp. Israelensis | 0.0090 |
| Bacillus thuringiensis subsp. Kurstaki | 0.1875 |
| Beauveria bassiana | 5.9549 |
| Benefin | 6.1275 |
| Bensulide | 2.0000 |
| Benzovindiflupyr | 0.0469 |
| Bicyclopyrone | 574.3080 |
| Bifenazate | 3.4800 |

2020 Use by active ingredient (pounds)* - Revised reporting

*Biocide and disinfectant active ingredients reported separately

| | |
|------------------------------------|------------|
| Bifenthrin | 658.2795 |
| Borax | 7619.2838 |
| Boric acid | 0.2000 |
| Boscalid | 77.7722 |
| Brodifacoum | 0.3925 |
| Bromadiolone | 0.8899 |
| Bromethalin | 0.0016 |
| Captan | 1204.8300 |
| Carbaryl | 80.9678 |
| Carbendazim | 0.0013 |
| Carfentrazone | 14.4869 |
| Castor oil | 7.5022 |
| Cedar Oil | 253.0218 |
| Charcoal | 14.3700 |
| Chlorantraniliprole | 183.4679 |
| Chlorfenapyr | 110.0894 |
| Chlorimuron ethyl | 0.3526 |
| Chlorophacinone | 0.0289 |
| Chlorothalonil | 11669.7770 |
| Chlorsulfuron | 8.8575 |
| Cholecalciferol | 0.0733 |
| Cinnamon Oil | 104.9030 |
| Citric Acid | 0.1390 |
| Citronella Oil | 2.9601 |
| Clethodim | 1.8188 |
| Clomazone | 0.7500 |
| Clopyralid | 1223.4197 |
| Cloransulam-methyl | 8.8704 |
| Clothianidin | 19.3610 |
| Clove oil | 0.5500 |
| Copper | 0.0250 |
| Copper Carbonate | 301.6082 |
| Copper diammonia diacetate complex | 2.2572 |
| Copper ethanolamine complex | 6.8039 |
| Copper Hydroxide | 122.0090 |
| Copper Octanoate | 4.9648 |
| Copper Oxychloride | 4.5894 |
| Corn oil | 0.6252 |
| Cornmint oil | 0.0020 |
| Cottonseed oil | 0.0080 |
| Cyantraniliprole | 3.2234 |
| Cyazofamid | 9.7236 |
| Cyclaniliprole | 0.0034 |

2020 Use by active ingredient (pounds)

Revised reporting 9/2024

2020 Use by active ingredient (pounds)* - Revised reporting

*Biocide and disinfectant active ingredients reported separately

| | |
|-------------------------------------|-----------|
| Cyflumetofen | 1.1907 |
| Cyfluthrin | 275.7115 |
| Cypermethrin | 6.3952 |
| Cyproconazole | 34.6524 |
| Cyprodinil | 1.2675 |
| Cytokinin | 0.0030 |
| Debacarb | 0.0075 |
| Deltamethrin | 86.6442 |
| Dicamba | 2222.1185 |
| Dichlobenil | 1.6450 |
| Dichlorvos | 0.3621 |
| Dicrotophos (Bidrin) | 0.0520 |
| Didecyl dimethyl ammonium chloride | 2.0618 |
| Difenoconazole | 2.1424 |
| Difethialone | 0.1973 |
| Diflubenzuron | 416.6670 |
| Dimethenamid | 3.0225 |
| Dinotefuran | 27.1815 |
| Diocetyl dimethyl ammonium chloride | 1.6215 |
| Diphacinone | 0.0746 |
| Diquat | 115.9374 |
| Diquat dibromide | 0.3361 |
| Disodium octaborate tetrahydrate | 708.4953 |
| Dithiopyr | 492.7885 |
| d-Limonene | 1.4700 |
| DRC-1339 | 0.0128 |
| Dried blood (porcine/bovine) | 125.1494 |
| d-trans Allethrin | 0.1998 |
| Emamectin benzoate | 1283.7313 |
| Esfenvalerate | 0.9434 |
| Ethalfuralin | 2.4000 |
| Ethephon | 390.7200 |
| Etofenprox | 4.1714 |
| Eugenol | 9.1568 |
| Extract of Reynoutria sachalinensis | 4.8455 |
| Fenoxaprop-ethyl | 2.8500 |
| Fenpropathrin | 2.4000 |
| Fenvalerate | 1.2542 |
| Fipronil | 628.7195 |
| Flonicamid | 0.0160 |
| Florasulam | 1.3020 |
| Florpyrauxifen-benzyl | 11.9700 |
| Fluazinam | 605.0854 |

2020 Use by active ingredient (pounds)

Revised reporting 9/2024

2020 Use by active ingredient (pounds)* - Revised reporting

*Biocide and disinfectant active ingredients reported separately

| | |
|----------------------|------------|
| Fludioxonil | 43.5373 |
| Flumetsulam | 3.7500 |
| Flumioxazin | 0.1500 |
| Fluopyram | 37.2158 |
| Fluoxastrobin | 30.6723 |
| Fluroxypyr | 87.8214 |
| Flurprimidol | 197.2189 |
| Fluthiacet-methyl | 33.2892 |
| Flutriafol | 2.5688 |
| Fluxapyroxad | 50.6866 |
| Fomesafen | 171.0000 |
| Formaldehyde | 2655.8600 |
| Garlic | 27.6054 |
| Garlic oil | 4.7000 |
| geraniol | 20.7061 |
| Glufosinate ammonium | 47.7451 |
| Glyphosate | 34312.3346 |
| Halauxifen-methyl | 0.5500 |
| Halosulfuron-methyl | 144.3362 |
| Hexythiazox | 0.0550 |
| Hydramethylnon | 0.2441 |
| Hydrogen peroxide | 1.5572 |
| Imazamox | 0.0547 |
| Imazapic | 0.0507 |
| Imazapyr | 542.9455 |
| Imazethapyr | 1.5000 |
| Imidacloprid | 1028.0898 |
| Indaziflam | 168.9348 |
| Indoxacarb | 14.7245 |
| Iprodione | 3699.9364 |
| Iron HEDTA | 204.8405 |
| Isofetamid | 50.7992 |
| Isopropyl Alcohol | 233.2413 |
| Isoxaben | 3.8428 |
| Lambda-cyhalothrin | 574.5089 |
| Lemongrass oil | 6.5558 |
| Malathion | 133.3230 |
| Mancozeb | 998.9250 |
| Mandestrobin | 104.6400 |
| Mandipropamid | 0.0832 |
| MCPA | 485.5024 |
| Mecoprop | 588.3454 |
| Mefenoxam | 6.1928 |

2020 Use by active ingredient (pounds)

Revised reporting 9/2024

2020 Use by active ingredient (pounds)* - Revised reporting

*Biocide and disinfectant active ingredients reported separately

| | |
|---|------------|
| Mefentrifluconazole | 25.2620 |
| Mefluidide | 4.5600 |
| Mesotrione | 4718.2573 |
| Metconazole | 3.9075 |
| Methylisothiocyanate | 317.6556 |
| Metofluthrin | 0.2114 |
| Metolachlor | 53002.1890 |
| Metsulfuron methyl | 38.2019 |
| Mineral oil | 3721.2077 |
| Monosodium methanearsonate | 1.3500 |
| Myclobutanil | 19.8765 |
| N-Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride | 0.3935 |
| Naphthalene | 2.1000 |
| Neem Oil | 72.3420 |
| Nicosulfuron | 26.5440 |
| Nitrogen | 0.7320 |
| N-Octyl bicycloheptene dicarboximide | 33.0988 |
| Novaluron | 0.9055 |
| Noviflumuron | 0.0215 |
| Octyl Decyl Dimethyl Ammonium Chloride | 3.2040 |
| Orthoboric Acid | 144.5879 |
| Oryzalin | 0.3040 |
| Paclobutrazol | 51.4453 |
| Paraquat | 36.0000 |
| Pelargonic acid | 23.4248 |
| pendimethalin | 426.2588 |
| Penoxsulam | 1.2450 |
| Pentachloronitrobenzene | 72.0000 |
| Penthiopyrad | 0.4050 |
| Peppermint oil | 155.1856 |
| Permethrin | 84.8834 |
| Peroxyacetic Acid | 0.2230 |
| Phenothrin | 1.1383 |
| Phosmet | 7.0000 |
| Phosphoric Acid | 18.3960 |
| Phosphorous acid | 45.9096 |
| Picoxystrobin | 153.9724 |
| Piperonyl butoxide | 309.3489 |
| Potassium salts of fatty acids | 10.0740 |
| Potassium Sorbate | 0.0556 |
| Prallethrin | 4.0206 |
| Primisulfuron-methyl | 2.5680 |
| Prodiamine | 1150.2818 |

2020 Use by active ingredient (pounds)

Revised reporting 9/2024

2020 Use by active ingredient (pounds)* - Revised reporting

*Biocide and disinfectant active ingredients reported separately

| | |
|---------------------------|------------|
| Prohexadione calcium | 24.3128 |
| Prometon | 2.9450 |
| Propamocarb hydrochloride | 104.4180 |
| Propiconazole | 426.1822 |
| Prosulfuron | 0.8520 |
| Prothioconazole | 25.9900 |
| Puriproxyfen | 0.0156 |
| Pydiflumetofen | 0.8183 |
| Pymetrozine | 0.0005 |
| Pyraclostrobin | 102.3392 |
| Pyraflufen ethyl | 0.2895 |
| Pyrethrins | 38.4265 |
| Pyrethrum | 0.0450 |
| Pyridalyl | 0.0215 |
| Pyrimisulfan | 0.0064 |
| Pyriproxyfen | 14.4812 |
| Pyroxasulfone | 1102.7708 |
| Quinclorac | 236.6028 |
| Rimsulfuron | 446.8447 |
| Rosemary oil | 788.9175 |
| Sesame Oil | 1.1500 |
| Sethoxydim | 33.4100 |
| Silicon Dioxide | 21.5163 |
| Simazine | 1571.1500 |
| S-Kinoprene | 0.0109 |
| S-methoprene | 0.0225 |
| Sodium Fluoride | 849.9075 |
| Sodium lauryl sulfate | 1.2744 |
| Sodium nitrate | 27.2003 |
| Soybean Oil | 22.7461 |
| Spinetoram | 0.0007 |
| Spinosad | 23.7140 |
| Spiromesifen | 1.6680 |
| Spirotetramat | 0.0800 |
| Streptomyces lydicus | 0.0000 |
| Streptomycin Sulfate | 4.4352 |
| Sulfentrazone | 26.4260 |
| Sulfometuron methyl | 267.7158 |
| Sulfur | 8.5250 |
| Tebuconazole | 1294.4896 |
| Tembotrione | 657.3390 |
| Tetramethrin | 0.0706 |
| TFM | 13782.0800 |

2020 Use by active ingredient (pounds)

Revised reporting 9/2024

2020 Use by active ingredient (pounds)* - Revised reporting

*Biocide and disinfectant active ingredients reported separately

| | |
|---|---------------|
| Thiabendazole Hypophosphite | 48.0078 |
| Thiamethoxam | 10.0144 |
| Thiencarbazone-methyl | 130.0983 |
| Thifensulfuron | 115.2835 |
| Thiophanate-methyl | 2347.6015 |
| Thiram | 77.3880 |
| Thyme oil | 74.0722 |
| Topramezone | 0.8148 |
| Triadimefon | 108.7470 |
| Tribenuron-methyl | 1.0752 |
| Trichlorfon | 321.3868 |
| Triclopyr | 983.8166 |
| Trifloxystrobin | 174.7268 |
| Trifluralin | 42.8035 |
| Trinexapac-ethyl | 142.3978 |
| Triticonazole | 2.2876 |
| Uniconazole-P | 0.0028 |
| Z-9-Tricosene | 0.0227 |
| Zeta-cypermethrin | 4.6235 |
| Zinc ion and manganese ethylenebisdithiocarbamate | 213.6525 |
| Zinc phosphide | 2.7150 |
| Grand Total | 254925 |

Due to software limitations, numbers are not rounded for significant figures