

OCW responses to Permit Application questions / requested changes from February 26 email.

1. **The Company License that you submitted is expired. Please submit a current Company License, and also please send in all current pesticide applicator licenses for staff that will be conducting pesticide applications.**

The OCW 2024 Commercial License is attached. Applicator licenses also are attached, though they are NOT correct in two instances. We were sent a Commercial Applicator license for Ben Lawton but not his Government Applicator license and we were sent a Government Applicator license for Jeff Whiting but not his Commercial Applicator License. Those regularly occurring mistakes are (again!) being communicated to VAAFm.

2. **Please confirm the status of all towns included in Permit Application A.5., and also identify any contracted areas that will be receiving truck-mounted adulticide applications.**

The towns included in Permit Application paragraph A.5. are correct. The only contracted area that will be receiving truck-mounted adulticide applications are the private roads, wholly within the Town of Salisbury, with property abutting Lake Dunmore.

3. **Please recalculate the table in Permit Application B.1. to reflect appropriate Application Rates (active ingredient lbs/acre) and (formulation fl oz/minute at 10mph).**

Table B.1. has been recalculated. All data submitted is correct with one minor exception: the Application Rate (in pounds of active ingredient per acre) for Fyfanon-ULV should be .051 instead of .045. The difference (.006 pounds) is less than 1/100 of an ounce.

This has been changed in the amended application

4. Please tell the Agency whether you will or will not be utilizing a GPS system this season.

Yes, the district plans to use the GPS variable rate flow pumps listed on the invoice below.

Product	Quantity	Unit of Packaging	Sales Price	Unit of Measure	Subtotal
FMI PUMP CONT BOX W/O FMI PUMP	4.00	1 EA	USD 956.5600	Each	USD 3,826.2400
GUA MON4/4S/5 INTERCONNECT CABLE	4.00		USD 138.9000	Each	USD 555.6000
MEQ LABOR CHARGE ONSITE	1.00	1 EA	USD 750.0000	Each	USD 750.0000
MONITOR FLEX INSTALL PACKAGE	1.00		USD 2,100.0000	Each	USD 2,100.0000
MONITOR FLEX W/QTERM	4.00	1 EA	USD 4,000.0000	Each	USD 16,000.0000
Total Amount					USD 23,231.8400

Product Details	Qty	Price	Total
<b>MOS-WULVO</b>  FieldSeeker Windows ULV Adulticiding Office Software per concurrent user license. First year annual support and maintenance is included with purchase.  The office software can be installed on an office PC or installed the database on a shared server.  Optionally, we offer the annual hosting for the FieldSeeker ULV database for \$250/year.	1	\$ 1,725.00	\$ 1,725.00
<b>MOS-WULVD-HOSTING</b>  Optional Annual Hosting of FieldSeeker ULV Mosquito Control Database, per year	1	\$ 250.00	\$ 250.00

Sub Total: **\$ 1,975.00**

5. Please define what your random sample methodology is for Mosquito Surveillance pursuant to Permit Application F.1.a.

This language has been added to the in the amended application

When the nets (from either a CDC light trap or a net sweep) are brought to the OCW shop they are immediately frozen. The frozen contents then are dumped onto a tray, completely randomizing the contents. An OCW technician then counts the adult female mosquitos and also counts the other insects that were in the net. That done, the technician randomly selects specimens from among the adult females to identify them under a microscope as to genus and species. That random selection and identification process is continued until the defined action threshold (40

for light trap / 15 for net sweep) is reached with adult female mosquito species known to bite humans.