

ENVIRONMENTAL Sample Bottle Request 2021

Name _____ Date Required _____
(allow at least 5 business days)

Phone # _____ E-mail _____

Project Number, Name _____

| Quantity | Bottle Type | Test(s) |
|----------|-----------------------------------------------------------------------|--------------------------------------------------------------------|
| | Green capped, 50 ml Centrifuge Tube | Silica, Ion Chrom, (Chloride, Sulfate, Nitrate, Nitrite), Chloride |
| | Blue capped, 50 ml Centrifuge Tube | Ammonia, Nitrate + Nitrite, Total Nitrogen, COD |
| | 125 mL, Round plastic | Metals |
| | 125 mL, Round plastic | Mercury |
| | 250 mL, Square plastic | Turbidity, Alkalinity, Conductivity, Dissolved Solids |
| | 1 Liter Round plastic | Total Suspended Solids |
| | 2 Liter Round plastic | BOD (need 4 liters for dup or matrix spike) |
| | 125 mL amber glass | TOC, DOC, NPOC |
| | 60 mL glass Vial | Phosphorus (Total, Dissolved or Ortho) |
| | 1 L amber glass | Corn Herbicides, Neonic, CH Metab |
| | 300 mL glass Bottle with stopper (please return if not used) | Dissolved Oxygen (DO) |
| | IDEXX Sterile 120 ml plastic | E. coli, Total Col – <i>non-potable waters</i> |
| | IDEXX Sterile 120 ml plastic with Sodium Thiosulfate | E. coli, Total Col – <i>potable waters</i> |

Miscellaneous Supplies

| Quantity | Item | Quantity | Item |
|----------|--------------------------------|----------|-----------------------|
| | Deionized Water | | Sampling Instructions |
| | Chain of Custody Seals, Record | | |

Other items – please list:

Please return to agr.vael@vermont.gov